CHAPTER 19 A Study of Vehicle Routing Problem (VRP)

Dr. N. KRISHNAVENI

Avinashilingam Institute for Home Science and Higher Education for Women, India

Dr T. JAYAMALAR

Avinashilingam Institute for Home Science and Higher Education for Women, India

Ms. R. ANITHA

Nehru Arts and Science College, India

Dr. P. PERIYASAMY

Nehru Institute of Engineering and Technology, India

ABSTRACT

In this paper we discuss the Vehicle Routing Problem (VRP); the goal is to find optimal routes for multiple vehicles visiting a set of locations. We mean by "optimal routes" for a Vehicle Routing Problem is the routes with the least total distance. However, if there are no other constraints, the optimal solution is to assign just one vehicle to visit all locations, and find the shortest route for that vehicle. This is essentially the same problem as the Transportation Salesmen Problem. A better way to define optimal routes is to minimize the length of the longest single route among all vehicles. This is the right definition if the goal is to complete all deliveries as soon as possible. The Vehicle Routing Problem finds optimal routes defined. Also in this paper we discuss, why is it a challenge to solve the Vehicle Routing Problem?

Keywords— Vehicle Routing Problem, Heuristic, the Clarke and Wright algorithm, Approximation algorithms.

INTRODUCTION

One problem in the field of transportation related OR that has been given a lot of attention in the scientific literature is the so called vehicle routing problem (VRP). The vehicle routing problem (VRP) is a combinatorial optimization and integer programming problem which asks "What is the optimal set of routes for a fleet of vehicles to traverse in order to deliver to a given set of customers?" In the vehicle routing problem we are given a fleet of vehicles and a set of customers to be visited. The vehicles are often assumed to have a common home base, called the depot. The cost of travelling between each pair of customers and between the depot and each customer is given. Our task is to find a route for each vehicle, starting and ending at the depot, such that all customers are served by exactly one vehicle, and such that the overall cost of the routes are minimized. Typically, the solution has to obey several other restrictions, such as capacity of the vehicles or desired visit times at customers.

The class of vehicle routing problems contains all the problems that involve creating one or more routes, starting and ending in one or more common depots or at predefined start and end terminals. In the literature the term vehicle routing problem is occasionally used for the specific problem that is called the capacitated vehicle routing problem. A subclass of vehicle routing problems is pickup and delivery problems. In this class of problems, we are given a number of requests and a fleet of vehicles to serve the request. Each request consists of a pickup at some location and a delivery at another location. The cost of travelling between each pair of locations is given. The problem is to find routes for each vehicle such that all pickups and deliveries are served and such that the pickup and delivery corresponding to one request is served by the same vehicle and the pickup is served before the delivery. Again a number of additional constraints are often enforced, the most typical being capacity and time window constraints.

TYPES OF SOLUTION

Three types of solution methods are typically employed to solve these types of problems.

HEURISTICS

Heuristics are solution methods that typically relatively quickly can find a feasible solution with reasonable quality. There are no guarantees about the solution quality though, it can be arbitrarily bad. The heuristics are tested empirically and based on these experiments comments about the quality of the heuristic can be made. Heuristics are typically used for solving real life problems because of their speed and their ability to handle large instances. A special class of heuristics that has received special attention in the last two decades is the meta-heuristics. Meta-heuristics provides general frameworks for heuristics that can be applied to many problem classes. High solution quality is often obtained using met heuristics.

APPROXIMATION ALGORITHMS

Approximation algorithms are a special class of heuristic that provides a solution and an error guarantee. For example one method could guarantee that the solution obtained is at most k times more costly than the best solution obtainable. Two classes of approximation algorithms called polynomial time approximation scheme (PTAS) and fully polynomial time approximation scheme (FPTAS) are of special interest as they can approximate the solution with any desired precision. An FPTAS is in a certain sense "stronger" than PTAS. An example of a problem that admits an FPTAS is the Knapsack problem. For some problems it is not possible to design a FPTAS, PTAS or even a polynomial time approximation algorithm with constant error guarantee unless P = NP and approximation can be impractical: the error guarantee can be too poor or the running time of the algorithm can be too high

EXACT METHODS

Exact methods guarantee that the optimal solution is found if the method is given sufficiently time and space. As stated initially, a simple enumeration is out of the question, so exact methods must use cleverer techniques. The worst case running time for NP-Hard problems are still going to be high though. We cannot expect to construct exact algorithms that solve NP-hard problems in polynomial time unless NP = P. For some classes of problems there is hope of finding algorithms that solve problem instances occurring in practice in reasonable time though.

Objective Functions in Vehicle Routing Problems

- Minimization of Travel-Dependent Parameters
- Minimization of the Number of Utilized Vehicles
- Minimization of the Sum of Tour Durations
- Minimization of the Completion Time
- Minimization of Lateness Costs
- Minimization of the Number of unnerved Customers

• Minimization of Customer Inconvenience and Request Response Time

Heuristic Algorithms:

Heuristic algorithms for the VRP can often be derived from procedures derived from the TSP (Travelling Salesman Problem). The nearest neighbor algorithm, insertion algorithms and tour improvement procedures can be applied to CVRPs and DVRPs almost without modifications. However, when applying these methods to VRPs care must be taken to ensure that only feasible vehicle routes are created.

THE CLARKE AND WRIGHT ALGORITHM:

This Classical Algorithm was First Proposed in 1964 by Clarke and Wright to solve CVRPs in which the number of vehicles is free. The method starts with vehicle routes containing the depot and one other vertex. At each step, two routes are merged according to the largest saving that can be generated.

Step 1. Compute the savings $[s_i]=C]_i+[C]_j-C_i$ for i,j=2,...,n, and $i\neq j$. Create n-1 vehicle routes (1,i,1) (i=2,...,n).

Step 2. Order the savings in a non-increasing fashion.

Step 3. Consider two vehicle routes containing arcs (i, 1) and (1, j), respectively. If sij> 0tentatively merge these routes by introducing arc (i, j) and by deleting arcs (i, 1) and (1, j). Implement the merge if the resulting route is feasible. Repeat this step until no further improvement is possible. Stop.

The Clarke and Wright algorithm implicitly ignores vehicle fixed costs and fleet size. Vehicle costs f can easily be taken into account by adding this constant to every C1j

(j = 2,..., n). Solutions with a fixed number of vehicles can be obtained by repeating Step 3 until the required number of routes has been reached, even if the savings become negative.

THE SWEEP ALGORITHM

The origins of the sweep algorithm can be traced back to the work of Wren (1971) and Wren and Holliday (1972) for CVRPs with one or several depots, and vertices located in the Euclidean plane. In order to ease the implementation of this method, it is preferable to represent vertices by their polar coordinates (θi , ρi), where θi is the angle and ρi is the ray length. Assign a value θi = 0 to an arbitrary vertex i* and compute the remaining angles from (1, i*). Rank the vertices in increasing order of their θi . A possible implementation of the method is the following.

Step 1. Choose an unused vehicle k.

Step 2.Starting from the unrouted vertex having the smallest angle, assign vertices to the vehicle as long as its capacity is not exceeded. If unrouted vertices remain, go to Step 1.

Step 3. Optimize each vehicle route separately by solving the corresponding Travelling Salesman Problem (exactly or approximately). Perform vertex exchanges between adjacent routes if this saves distance. Re-optimize and stop.

Why is it a challenge to solve the Vehicle Routing Problem?

In real-life scenarios, Vehicle Routing Problem is not about providing the shortest possible route. There are many other factors that contribute to planning the optimized routes. The complexity in VRP arises due to the presence of multiple constraints and its unpredictable nature.

MASSIVE COMPUTATIONAL EFFORT REQUIRED

Vehicle Routing Problem requires a massive computational effort.

Even experienced dispatchers and drivers cannot solve it manually as various factors contribute to it.

UNPREDICTABLE FACTORS

There are uncertainties attached to real-life route planning that makes VRP very hard to solve. They can be changing customer demands, traffic jams, unexpected roadblocks due to maintenance, and so on.

Why is it crucial to have an effective solution for VRP?

The primary reason for an effective VRP solution is to reduce logistics costs.

The other reasons are:

VRP helps businesses attain sustainable growth

It enhances the productivity and efficiency of the fleet

Beyond saving time, it increases customer satisfaction, thereby boosting profit rates

What is the most effective solution to address VRP?

There are three solutions to address VRP, but only one among them is the most effective.

MANUAL SOLVING

Manual solving is the most inefficient method to address VRP. Solving VRP is a nerve-wracking task and even Experienced Fleet Managers Find It Tough To Solve.

PRESET SOLVERS

Preset solvers cannot address VRP as it can only solve some basic constraints. It can suit academic settings that require in-depth research and is not ideal for real-world business settings.

Route Optimization Solution:

Route Optimization solution is the most effective tool to tackle VRP as it considers real-world constraints.

What kind of route optimization software should you choose to solve VRP?

Businesses should prefer a route optimization solution that has the following features:

Ensures the safety of deliveries

Has an updated and adaptable set of algorithms

Is economical and scalable

Enables multi-stop route planning and multi-vehicle routing

THE NEXT-GEN SOLUTION

Negligible dependency on human intelligence: Using Advanced algorithms:

Make sure that you buy a route planning software that requires minimum human support. An effective vehicle route optimization solution provides automated route recommendations based on the type of vehicle, vehicle capacity, traffic, stop duration, delivery time, among other constraints. It helps fleet drivers save their fuel and reduce driving time.

INTELLIGENT ALLOCATION CAPABILITIES

An accurate parcel sorting capability is essential for fleet route optimization. It helps fleet managers intelligently allocate orders based on their priority.

AUTOMATIC REROUTING CAPABILITIES

On-demand orders are testing the delivery capabilities of logistics businesses. New orders are added every second, minute, and hour, therefore rerouting is necessary to manage, reschedule and reassign on-demand deliveries.

A capable route planning software dynamically reroutes orders as and when new orders are added. This automatic rerouting ability helps fleet managers in handling their on-demand orders optimally.

SUPERIOR GEOCODING CAPABILITIES

Confusion in addresses can lead to delayed deliveries. Competent geocoding capability refines and converts inaccurate addresses into precise geographic coordinates. This capability ensures on-time deliveries for fleet drivers.

CONCLUSIONS

Vehicle routing problem forms an integral part of supply chain management, which plays a significant role for productivity improvement. The Vehicle Routing Problem lies at the heart of distribution management. There exist several versions of the problem and a wide variety of exact and approximate algorithms have been proposed for its solution. Exact algorithms can only solve relatively small problems, but a number of approximate algorithms have proved very satisfactory.

REFERENCES

- 1) G. Dantzig and J. Ramser, "The Truck Dispatching Problem," Management Science, Vol. 6, No. 1, 1959
- 2) G. Laporte, "The Vehicle Routing Problem: An Overview of Exact and Approximate Algorithms," European Journal of Operational Research, Vol. 59, No. 3, 1992
- 3) M. Gendreau, G. Laporte and J.-Y. Potvin, "Metaheuristics for the VRP," In: P. Toth and D. Vigo, Eds., The Vehicle Routing Problem, SIAM Monographs on Discrete Mathematics and Applications, Philadelphia, 2002
- 4) J.-F. Cordeau, M. Gendreau, A. Hertz, G. Laporte and J. S. Sormany, "New Heuristics for the Vehicle Routing Problem," In: A. Langevi and D. Riopel, Eds., Logistics Systems: Design and Optimization, Springer, New York, 2005
- 5) M. Solomon, "Algorithms for the Vehicle Routing and Scheduling Problem with Time Window Constraints," Operations Research, Vol. 35, No. 2, 1987
- 6) Augerat P., Belenguer J.M., Benavent E., Corberán A., NaddefD.& Rinaldi G. 1995. Computational results with a branch and cut code for the capacitated vehicle routing problem. Tech. Rep. 1 RR949-M, ARTEMIS-IMAG, Grenoble France.
- 7) Azi N., Gendreau M. &Potvin J.Y. 2007. An exact algorithm for a single-vehicle routing problem with time windows and multiple routes. European Journal of Operational Research178: 755–766
- 8) Baker J.E. 1985. Adaptive Selection Methods for Genetic Algorithms. Proceedings of an International Conference on Genetic Algorithms and Their Applications. New York: Lawrence Erlbaum Associates:101–111.
- 9) Baker B.M. & Ayechew M.A. 2003. Agenetic algorithm for the vehicle routing problem. Computers & Operations Research30: 787–800.
- 10) Baldacci R.Christofides N.&Mingozzi A. 2007. An exact algorithm for the vehicle routing problem based on the set partitioning formulation with additional cuts. Mathematical Programming Ser. (in press).
- Baldacci R., Hadjiconstantinou E.A. & Mingozzi A. 2004. An exact algorithm for the capacitated vehicle routing problem based on a two-commodity network flow formulation. Oper. Res. 52: 723–738.
- 12) Bard J.F.KontoravdisG. &Yu G. 2002.A Branch-and-Cut Procedure for the Vehicle Routing Problem with Time Windows. Transportation Science36(2): 250 269.



Dr. N. Krishnaveni is an Assistant Professor at Avinashilingam Institute for Home Science and Higher Education for Women, Coimbatore. She holds M.Sc., M.Phil., Ph.D., and also qualified SET examination. Her research specializations are Data Mining, Big Data Analytics, Web Mining and Natural Language Processing. She has 15+ years of teaching experience with various reputed Institutions. Her teaching interests include Big Data Analytics, Web Technologies, Programming Concepts, Machine Learning and Algorithms. She has published 14 articles in various indexed journals like Scopus Indexed, WoS, UGC Care listed and Peer-reviewed. Apart from organizing many International Conferences and Workshops, she is a part of many academic activities which includes Board of Studies, Guiding projects, conducting examinations; etc. She has clutched online course certificates offered by Swayam MOOC, NPTEL, Spoken Tutorial and Coursera. She is providing career counseling and acting as resource person for many other Institutions. At present, she is doing an Interdisciplinary research project relevant to the betterment of higher education.



Dr T. Jayamalar is an Assistant Professor at Avinashilingam Institute for Home Science and Higher Education for Women, Coimbatore. She holds M.C.A., M.Phil., Ph.D., with NET

Copyright © 2023, AETS Global. Copying or distributing in print or electronic forms without written permission of AETS Global is prohibited. ISBN: 978-93-5782-920-5, www.aetsjournal.com "Handbook of research in Big data Analytics, Artificial intelligence and Machine learning"

examination. Her research specialization consists of Image Processing and Machine Learning. Her 14 years of comprises of Web Technologies, Programming Concepts, Machine Learning and Algorithms. She has published 11 articles in several indexed journals like Scopus Indexed, WoS, UGC Care listed and Peer-reviewed. Apart from organizing many International Conferences and Workshops, she is a part of academic activities of an Institution such as Board of Studies, Guiding Projects, Examination Conducting, etc. She has clutched online course certificates offered by Swayam MOOC, NPTEL, Spoken Tutorial as well as Coursera. For the enhancement of higher education, at present she is doing an interdisciplinary research project which is relevant to specialization.



Ms. R. Anitha received M.Sc degree in the year 2010 and M.Phil. (CS) in the year 2011 at SNMV College of arts and Science affiliated to Bharathiar University. She is currently working as Assistant Professor in department of Computer Science, Nehru Arts and Science College, Coimbatore. She is also pursuing her Ph.D. in Part time under the supervision of Dr. D. Vimal kumar at Nehru Arts & Science College. She has 9 years of teaching experience. She has also published many research articles in National/International conferences and journals indexed in Scopus. Her Research area focuses on Recommendation system in E-commerce.